

FIG. 1 PRIOR ART




Fig 1
PRIOR ART

Fig. 1A
PRIOR ART





Fig 1B
PRIOR ART





Fig 1C
PRIOR ART

A hand-drawn sketch of a triangle. To the right of the triangle is a wavy line and the number 260.







fig. 3



400

Fig. 4

530

Input Form

Number of Data Points to Chart

Clear

510

Goto Entry 540

Goto Run 550

Quit 560

Management Function 570

9111 520(A)	Line 1	Line 7	9111 520(G)
9111 520(B)	Line 2	Line 8	925 520(H)
9111 520(C)	Line 3	Line 9	925 520(I)
MEM-TE 520(D)	Line 4	Line 10	mem-tes 520(J)
MEM-TE 520(E)	Line 5	Line 11	925 520(K)
9111 520(F)	Line 6	Line 12	9111 520(L)

500

Fig. 5






Fig. 6



700

Fig. 7

FIG. 8



800

Fig. 8

150

Vision Gauge Management Functions

Part Number

Line Number (01-13)

Down load Job

Return

Back Space

Tab

Clear

Edit Part Info

Save as Part Info

Change/Disable Password

Advanced

Change Password

PASSWORD

Enable Password

Input

1010

A	B	C	D	E	F	G	7	8	9
H	I	J	K	L	M	N	4	5	6
O	P	Q	R	S	T	U	1	2	3
V	W	X	Y	Z				0	

1000

Fig. 10